

Date: Thursday, 20/11/2008 3:35:46 PM
 User: Julie Dawson

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : ACCESS PANEL ASSEMBLY
Job Number : 43633	
Estimate Number : 13008	
P.O. Number :	Part Number : D3245041
This Issue : 20/11/2008 S.O. No. :	Drawing Number : D3245 REVB
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL /MED FAB	Drawing Revision : B
Previous Run : 40182	Material :
Written By :	Due Date : 21/12/2008 Qty: 4 Um: Each
Checked & Approved By : <u>JLD 08.11.21</u>	
Comment : Est Rev :A New Issue 07-09-11 JLM Verified By:EC Est Rev:b ECN 1052 07-10-31 DD verified by: EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Pick Packing Kit

2.0	D32451	Panel
-----	--------	-------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)
 Panel
 Batch: B 43767

EP09/03/02

3.0	D32455	Door
-----	--------	------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)
 Angle Plate
 Batch: B 40202

EP09/03/02

4.0	235018C3Y	RIGID RECEPTACLE
-----	-----------	------------------



Comment: Qty.: 8.0000 Each(s)/Unit Total : 32.0000 Each(s)
 RIGID RECEPTACLE
 Batch: M105729 (2x) M106810 (4P)

EP09/03/02
 M108722 (25)

5.0	MS20427M33	Rivet
-----	------------	-------



Comment: Qty.: 16.0000 Each(s)/Unit Total : 64.0000 Each(s)
 Rivet
 Batch: M110022

EP09/03/02

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 20/11/2008 3:35:46 PM
User: Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: ACCESS PANEL ASSEMBLY

Job Number: 43633

Part Number: D3245041

Job Number:



Seq. #: Machine Or Operation: Description :

6.0 MS20615M33 Rivet



* Comment: Qty.: 9.0000 Each(s)/Unit Total : 36.0000 Each(s)
Rivet M18235

09/03/02

7.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Install Rivets and Nut Plates and D3245-5 angle as per Dwg D3245

09/03/02 (4)

8.0 QC5 INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

09/02/02 (XU)

9.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify with part# and batch# using fine point ink marker and Stock
Location: ST183

09/03/03

10.0 QC21 FINAL INSPECTION/W/O RELEASE



09/03/05

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF
09-03-05


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3245-1
PANEL

2350-18-C3Y DZUS
RIGID RECEPTACLE (1)
MS20427M3-3 RIVET (2)
(8 PLACES)



MS20615M3-3 RIVET
(9 PLACES)


D3245-041 ACCESS PANEL ASSEMBLY

RELEASED
07-10-23

- NOTES:
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-XX" AND B/N "BXXXXX" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.83 lbs


QTY -041	QTY -042	P/N	DESCRIPTION
X		D3245-041	ACCESS PANEL ASSEMBLY, LH
	X	D3245-042	ACCESS PANEL ASSEMBLY, RH
1		D3245-1	PANEL
	1	D3245-2	PANEL
1	1	D3245-5	ANGLE PLATE
8	8	2350-18-C3Y	DZUS RIGID RECEPTACLE
16	16	MS20427M3-3	RIVET
9	9	MS20615M3-3	RIVET

2350-18-C3Y DZUS
RIGID RECEPTACLE (1)
MS20427M3-3 RIVET (2)
(8 PLACES)




D3245-5
ANGLE PLATE

0.032
GAP



D3245-2
PANEL





MS20615M3-3 RIVET
(9 PLACES)





D3245-042 ACCESS PANEL ASSEMBLY

STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 43633

B	REMOVE Ø0.204 HOLES FROM D3245-1/1F. REMOVE MS21060-L3K NUTPLATES & DURABLE BLACK GASKETS FROM D3245-041/042. HOLES AND ITEMS ARE NOW PART OF INSTALLATION. ASSIGN P/Ns TO GASKETS & REFORMAT DRAWING	MB	07.10.02
A	NEW ISSUE	RF	04.01.27
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PH		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	DS	D3245	SHEET 1 OF 7
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	ACCESS PANEL ASSEMBLY	1:2.5
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



C'SINK $\varnothing 0.170 \times 100^\circ$
(16 PLACES)



D3245-1 PANEL BEND DETAIL, LH

D3245-2 PANEL BEND DETAIL, RH

0.25
SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 43633

RELEASED
WP 07-10-23

NOTES:




- 1) MATERIAL: MAKE FROM D3245-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

DESIGN	JF	DART AEROSPACE LTD	
DRAWN	JF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO. D3245	REV. B
MFG. APPR.	DS	SHEET 2 OF 7	
APPROVED	AD	TITLE ACCESS PANEL ASSEMBLY	SCALE 1:3
DE APPR.	JF	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
DATE	07.10.02	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

D3245-5 DOOR

2351-20-009-C3Y STUD (1)
127H-35 GROMMET (1)
(8 PLACES)



D3245-043 DOOR ASSEMBLY

QTY -043	P/N	DESCRIPTION
X	D3245-043	ACCESS PANEL ASSEMBLY
1	D3245-3	DOOR
1	D3245-7	GASKET
8	2351-20-009-C3Y	STUD
8	127H-35	GROMMET

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
 - 7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
 - 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" USING FINE POINT PERMANENT INK MARKER
 - 9) WEIGHT: 0.73 lbs


RELEASED
7-10-23

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 43633


DESIGN	JH	DART AEROSPACE LTD	
DRAWN	JH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO. D3245	REV. B
MFG. APPR.	DS	SHEET 3 OF 7	
APPROVED	NO	TITLE ACCESS PANEL ASSEMBLY	SCALE 1:2
DE APPR.	JH	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
DATE	07.10.02	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1




D3245-3F DOOR FLAT PATTERN



D3245-3 DOOR BENDING DETAIL

RELEASED
07.10.03


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET (0.032 THICK, REF) PER MIL-S-5019 (ANNEALED) 2B FINISH (REF. DART SPEC. M304S22GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.67 lbs




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 43633

DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3245	SHEET 5 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	ACCESS PANEL ASSEMBLY	1:2
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



D3245-5F FLAT PATTERN



**D3245-5 BEND DETAIL
(MAKE FROM D3245-5F)**




RELEASED
07.10.23


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET (0.032 THICK, REF)
PER MIL-S-5019 (ANNEALED) 2B FINISH
(REF. DART SPEC. M304S22GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.08 lbs

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 243633

DESIGN	7F	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	DS	D3245	SHEET 6 OF 7
APPROVED	140	TITLE	SCALE
DE APPR.	140	ACCESS PANEL ASSEMBLY	1:1
DATE	07.10.02	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

RELEASED
07.10.03

- NOTES:**
- 1) MATERIAL: DURABLA BLACK GASKET, 0.035 THICK
(PER MIL-A-7021C OR MIL-A-17472B OR MIL-G-12803A)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 43633

DESIGN	<i>TH</i>	DART AEROSPACE LTD	
DRAWN	<i>B</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>PH</i>	DRAWING NO. D3245	REV. B
MFG. APPR.	<i>DS</i>		SHEET 7 OF 7
APPROVED	<i>160</i>	TITLE ACCESS PANEL ASSEMBLY	SCALE 1:2
DE APPR.	<i>TH</i>		
DATE	07.10.02	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	